

H1BAK1377 Dielectric Silicone Compound 765-1190

=====

MATERIAL SAFETY DATA SHEET

Effective Date: 11-12-85

Revision Date: 8-31-01

Dielectric Silicone Compound 765-1190

Code: AGS

Page: 1

=====

Section 1 - Product and Company Identification

PRODUCT NAME: Dielectric Silicone Compound 765-1190

MANUFACTURER'S NAME:

AGS Company

2651 Hoyt St.

Muskegon Hts. , MI 49444

EMERGENCY TELEPHONE NUMBER

(800)255-3924

MISCELLANEOUS INFORMATION

(231)733-2101

=====

Section 2 - Hazardous Ingredients

HAZARDOUS INGREDIENT	CAS NO.	WGT. %	TLV
Fumed Silica	112945-52-5	5-10	10 mg/m3-PEL 6 mg/m3
Trade Secret component		1-5	10 mg/m3-PEL 15 mg/m3
Non-Hazardous Ingredient			
Dimethyl Siloxane	63148-62-9	90	Not Assigned

NOTE:

=====

Section 3 - Hazards Identification

EYES: Possible mild irritation.

SKIN: Possible mild irritation.

INGESTION: None known.

INHALATION: None known.

OTHER EFFECTS: None known.

=====

Section 4 - First Aid Measures

EYES: Flush with water for 15 minutes. If irritation persists, consult a physician.

SKIN: Wash with mild soap and water.

INGESTION: Do not induce vomiting. Consult a physician.

INHALATION: Not applicable

=====

MATERIAL SAFETY DATA SHEET

Effective Date: 11-12-85

Revision Date: 8-31-01

Dielectric Silicone Compound 765-1190

Code: AGS

Page: 2

=====
Section 5 - Firefighting Measures

FLASH POINT : 575F
METHOD : T.O.C.
AUTO IGNITION TEMP: Not Determined

FLAMMABLE LIMITS:

LEL: Not Determined
UEL: Not Determined

EXTINGUISHING MEDIA: All standard fire fighting agents except water.

SPECIAL PROCEDURES: None Known

UNUSUAL HAZARDS: None Known

=====
Section 6 - Environmental Release Measures

SPILL PROCEDURE: Scrape up and place in a container for disposal. Wash walking surfaces with detergent and water to reduce slip hazard.

=====
Section 7 - Handling and Storage

CONDITIONS TO AVOID: None known.

=====
Section 8 - Exposure Controls/Personal Protection

VENTILATION REQUIREMENTS: General room ventilation.

EYES : Yes
GLOVES : No
CLOTHING : No
RESPIRATORY: No

OTHER: Eye bath in work area.

=====
MATERIAL SAFETY DATA SHEET

Effective Date: 11-12-85

Revision Date: 8-31-01

Dielectric Silicone Compound 765-1190

Code: AGS

Page: 3

=====
Section 9 - Physical and Chemical Properties

pH SUPPLIED : Not Applicable
pH DILUTED : Not Applicable
WATER SOLUBILITY: Nil
SPECIFIC GRAVITY: (water=1) 1.01
MELTING POINT : Not Determined

BOILING POINT : Not Applicable
% VOLATILES : Not Applicable
VAPOR PRESSURE : Not Applicable
VAPOR DENSITY : Not Applicable
EVAPORATION RATE: Not Applicable
APPEARANCE : Opaque, odorless grease.

=====
Section 10 - Stability and Reactivity

UNSTABLE AND/OR AUTO REACTIVE: Stable

INCOMPATIBLE MATERIALS: Strong Oxidizers

HAZARDOUS

DECOMPOSITION PRODUCTS: Above 575F. Oxidizers of silica and carbon.

=====
Section 11 - Toxicological Information

Not available.

=====
Section 12 - Ecological Information

Not available.

=====
Section 13 - Disposal Considerations

DISPOSAL METHOD: Removal by an approved, licensed waste hauler.

EPA WASTE I.D. NO.: Not Reg.

=====
Section 14 - Transport Information

Not regulated.

=====
Section 15 - Regulatory Information

Not available.

=====
MATERIAL SAFETY DATA SHEET

Effective Date: 11-12-85

Revision Date: 8-31-01

Dielectric Silicone Compound 765-1190

Code: AGS

Page: 4

=====
Section 16 - Other Information

Approved by Chuck Hiddema

V. P. Technical Operations

Original Issue Date 11/12/85

Revision No. 4 Date 8/31/01

***The information herein is given in good faith,
no warranty, expressed or implied, is made.***